


# Assignment 3 Intro


# Assignment 3

- Page table and 'region' support
  - Virtual memory for applications
  - Only the memory resident part, paging to disk is an advanced part.

## Theoretical Typical Address Space Layout



- Stack region is at top, and can grow down
- Heap has free space to grow up
- Text is typically read-only
- Implicit in this diagram
  - Multiple regions (ranges of virtual memory) to keep track of
  - Translation between each virtual page and physical frame currently accessible




## Real R3000 Address Space Layout


- kuseg:
  - 2 gigabytes
  - TLB translated (mapping loaded from page table)
  - Cacheable (depending on 'N' bit)
  - user-mode and kernel mode accessible
  - Page size is 4K




## Set of translations per-user address space

- Switching processes switches the translations for kuseg







7




8




9



10



11



12

## alloc\_kpage()/free\_kpage()


- The low-level functions that `kmalloc()/kfree()` use to allocate/free memory in its memory pool.
- Results are page aligned.
- Addresses are in the address range of `kseg0`
  - Need to convert to physical address to use as frame.
  - `KVADDR_TO_PADDR(vaddr)`

13

## Summary

- Application virtual memory in `kuseg`
  - Translated by TLB
  - TLB content determined by
    - `vm_fault()`
    - Page Table
    - Valid Regions
- Kernel memory in `kseg0`
  - Translated by fixed offset
  - Allocators already provided

14



## KUseg layout

- Stack region is at top, and can grow down
- Other regions determined by ELF file
  - see `load_elf()`
  - number can vary
  - permissions specified also
  - `os161-objdump -p testbin/huge`

15

```
thresher% os161-objdump -h ../bin/true

../bin/true:  file format elf32-tradbigmips

Sections:
Idx Name          Size      VMA       LMA       File off  Algn
 0 .reginfo        00000018 00400094 00400094 00000094 2**2
                  CONTENTS, ALLOC, LOAD, READONLY, DATA, LINK_ONCE_SAME_SIZE
 1 .text           000001d0 004000b0 004000b0 000000b0 2**4
                  CONTENTS, ALLOC, LOAD, READONLY, CODE
 2 .data           00000000 10000000 10000000 00001000 2**4
                  CONTENTS, ALLOC, LOAD, DATA
 3 .sbss           00000008 10000000 10000000 00001000 2**2
                  ALLOC
 4 .bss            00000000 10000010 10000010 00001008 2**4
                  ALLOC
 5 .comment        00000036 00000000 00000000 00001008 2**0
                  CONTENTS, READONLY
 6 .pdre           000004a0 00000000 00000000 00001040 2**2
                  CONTENTS, READONLY
 7 .mdebug.abi32  00000000 00000000 00000000 000014e0 2**0
                  CONTENTS, READONLY
```

16

```
thresher% os161-objdump -p ../bin/true

../bin/true:  file format elf32-tradbigmips

Program Header:
0x70000000 off  0x00000094 vaddr 0x00400094 paddr 0x00400094 align 2**2
  filesz 0x00000018 memsz 0x00000018 flags r--
  LOAD off  0x00000094 vaddr 0x00400094 paddr 0x00400094 align 2**12
  filesz 0x00000280 memsz 0x00000280 flags r-x
  LOAD off  0x00001000 vaddr 0x10000000 paddr 0x10000000 align 2**12
  filesz 0x00000000 memsz 0x00000010 flags rw-
private flags = 1001: [abi=032] [mips1] [not 32bitmode]
```

Zero fill fresh pages prior to mapping

17

## Walk through load elf

- Load the ELF header from executable file
- Check it's an ELF file
- For each "Program Header"
  - call `as_define_region()`
- For each "Program Header"
  - load the segment from the file if required

18

## Process Layout

- Process layout in KUseg
  - regions specified by calls to
    - as\_define\_stack()
    - as\_define\_region()
      - usually implemented as a linked list of region specifications
    - as\_prepare\_load()
      - make READONLY regions READWRITE for loading purposes
    - as\_complete\_load()
      - enforce READONLY again

19

- as\_create()
  - allocate a data structure used to keep track of an address space
    - i.e. regions
  - proc\_getas() used to get access to current address space struct
    - struct addrspace \*as;
- as\_destroy()
  - deallocate book keeping and page tables.
    - deallocate frames used

20

## Process Layout

- Need to keep translation table for KUSEG

21

## Pointer Recap

Memory

- 4-bit addresses, i.e. address range 0 – 15

```

char *c;
int *i;

```

Examples

```

c = 5; *c = 'x';
i = 4; *i = 42

```

22

## Indexing off Pointers

Memory

- 4-bit addresses, i.e. address range 0 – 15

```

char *c;
int *i;

```

Examples

```

c = 5; c[0] = 'h'; c[1] = 'i';
i = 4; i[0] = 42; i[2] = 7;

```

23

## 2-level table in 'C'

```

unsigned int **table;
table=malloc(4* sizeof(unsigned int *));

table[0] = malloc(2 * sizeof(unsigned int));
table[1] = NULL;
table[2] = NULL;
table[3] = malloc(2 * sizeof(unsigned int));

table[0][0] = 1;
table[0][1] = 2;
table[3][0] = 3;
table[3][1] = 4;

table[1][0] = 42; /* fails dereferencing
NULL */

```

24

## 2-level page table in 'C'


paddr\_t \*\*pagetable;

25

- `as_copy()`
  - allocates a new (destination) address space
  - adds all the same regions as source
  - roughly, for each mapped page in source
    - allocate a frame in dest
    - copy contents from source frame to dest frame
    - add PT entry for dest
- `as_activate()`
  - flush TLB
  - (or set the hardware asid)
- `as_deactivate()`
  - flush TLB
  - (or flush an asid)

26

## VM Fault Approximate Flow Chart



27

## kprintf()

• Do not use it in `vm_fault()`

- `kprintf()` blocks current process while printing
  - Switches to another process
  - Context switch flushes TLB
    - Flushes what you just inserted
    - Endless loop

28

## trace161 can help with debugging

<http://cgi.cse.unsw.edu.au/~cs3231/06s1/os161/man/sys161/index.html>

- The following additional options control trace161's tracing and are ignored by `sys161`:
- `-f tracefile`
  - Set the file trace information is logged to. By default, `stderr` is used. Specifying `-f` sends output to `stdout` instead of `stderr`.
- `-t traceflags`
  - Tell System/161 what to trace. The following flags are available:
    - d Trace disk I/O
    - e Trace emul'd I/O
    - j Trace jumps and branches
    - k Trace instructions in kernel mode
    - n Trace network I/O
    - t Trace TLB/MMU activity
    - u Trace instructions in user mode
    - x Trace exceptions
- Caution: tracing instructions generates huge amounts of output that may overwhelm smaller host systems.

29

```


wagner% trace161 -tt kernel
sys161: System/161 release 2.0.8, compiled Feb 19 2017 14:31:56
sys161: Tracing enabled: tlb
trace: 00 tlbp: 81000/000 -> 00000 ----: [0]
trace: 00 tlbp: 81001/000 -> 00000 ----: [1]
trace: 00 tlbp: 81002/000 -> 00000 ----: [2]
trace: 00 tlbp: 81003/000 -> 00000 ----: [3]
trace: 00 tlbp: 81004/000 -> 00000 ----: [4]
trace: 00 tlbp: 81005/000 -> 00000 ----: [5]
trace: 00 tlbp: 81006/000 -> 00000 ----: [6]
trace: 00 tlbp: 81007/000 -> 00000 ----: [7]
trace: 00 tlbp: 81008/000 -> 00000 ----: [8]
trace: 00 tlbp: 81009/000 -> 00000 ----: [9]
trace: 00 tlbp: 8100a/000 -> 00000 ----: [10]
trace: 00 tlbp: 8100b/000 -> 00000 ----: [11]
trace: 00 tlbp: 8100c/000 -> 00000 ----: [12]
trace: 00 tlbp: 8100d/000 -> 00000 ----: [13]
trace: 00 tlbp: 8100e/000 -> 00000 ----: [14]
trace: 00 tlbp: 8100f/000 -> 00000 ----: [15]
trace: 00 tlbp: 81010/000 -> 00000 ----: [16]
trace: 00 tlbp: 81011/000 -> 00000 ----: [17]
trace: 00 tlbp: 81012/000 -> 00000 ----: [18]
trace: 00 tlbp: 81013/000 -> 00000 ----: [19]
trace: 00 tlbp: 81014/000 -> 00000 ----: [20]
  
```

30

```

-----
trace: 00 tlbp: 8103f/000 -> 00000 ----: [63]
trace: 00 tlbp: 81040/000 -> NOT FOUND
trace: 00 tlbwi: [ 0] 81000/000 -> 00000 ---- ==> 81040/000 -> 00000 ----
trace: 00 tlbp: 81041/000 -> NOT FOUND
trace: 00 tlbwi: [ 1] 81001/000 -> 00000 ---- ==> 81041/000 -> 00000 ----
trace: 00 tlbp: 81042/000 -> NOT FOUND
trace: 00 tlbwi: [ 2] 81002/000 -> 00000 ---- ==> 81042/000 -> 00000 ----
trace: 00 tlbp: 81043/000 -> NOT FOUND
trace: 00 tlbwi: [ 3] 81003/000 -> 00000 ---- ==> 81043/000 -> 00000 ----
trace: 00 tlbp: 81044/000 -> NOT FOUND
trace: 00 tlbwi: [ 4] 81004/000 -> 00000 ---- ==> 81044/000 -> 00000 ----
trace: 00 tlbp: 81045/000 -> NOT FOUND
trace: 00 tlbwi: [ 5] 81005/000 -> 00000 ---- ==> 81045/000 -> 00000 ----
trace: 00 tlbp: 81046/000 -> NOT FOUND
trace: 00 tlbwi: [ 6] 81006/000 -> 00000 ---- ==> 81046/000 -> 00000 ----
trace: 00 tlbp: 81047/000 -> NOT FOUND
trace: 00 tlbwi: [ 7] 81007/000 -> 00000 ---- ==> 81047/000 -> 00000 ----
trace: 00 tlbp: 81048/000 -> NOT FOUND
trace: 00 tlbwi: [ 8] 81008/000 -> 00000 ---- ==> 81048/000 -> 00000 ----

```



THE UNIVERSITY OF  
NEW SOUTH WALES

31

31

```


-----
trace: 00 tlbwi: [60] 8103c/000 -> 00000 ---- ==> 8107c/000 -> 00000 ----
trace: 00 tlbp: 8107d/000 -> NOT FOUND
trace: 00 tlbwi: [61] 8103d/000 -> 00000 ---- ==> 8107d/000 -> 00000 ----
trace: 00 tlbp: 8107e/000 -> NOT FOUND
trace: 00 tlbwi: [62] 8103e/000 -> 00000 ---- ==> 8107e/000 -> 00000 ----
trace: 00 tlbp: 8107f/000 -> NOT FOUND
trace: 00 tlbwi: [63] 8103f/000 -> 00000 ---- ==> 8107f/000 -> 00000 ----

OS/161 base system version 2.0.3
(with locks/CVs, system calls solutions)
Copyright (c) 2000, 2001-2005, 2008-2011, 2013, 2014
President and Fellows of Harvard College. All rights reserved.

Put-your-group-name-here's system version 0 (ASST3 #29)

16208k physical memory available
Device probe...
lamebus0 (system main bus)
emu0 at lamebus0

```



THE UNIVERSITY OF  
NEW SOUTH WALES

32


32

End of trace from bin/true

```

trace: 00 tlblookup: 00400/000 -> no match
trace: 00 tlbwr: [58] 8003a/000 -> 00000 ---- ==> 00400/000 -> 00034 -V-
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK
trace: 00 tlblookup: 00410/000 -> no match
trace: 00 tlbwr: [34] 80022/000 -> 00000 ---- ==> 00410/000 -> 00036 -VD-
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK
trace: 00 tlblookup: 00410/000 -> 00036 -VD-: [34] - OK
trace: 00 tlblookup: 00410/000 -> 00036 -VD-: [34] - OK
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK
trace: 00 tlblookup: 7fff/000 -> 00035 -VD-: [25] - OK
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK
trace: 00 tlblookup: 00400/000 -> 00034 -V-: [58] - OK

```




THE UNIVERSITY OF  
NEW SOUTH WALES

33

33

## TLB refill

- Use `tlb_random()`
- Cost of book keeping to do something smarter costs more than potential benefit



THE UNIVERSITY OF  
NEW SOUTH WALES

34

34

## TLB\_random()


Disable interrupts when writing to the TLB in `vm_fault!`

```

spl = splhigh();
tlb_random(entry_hi, entry_lo);
splx(spl);

tlb_random:
    mtc0 a0, c0_entryhi /* store the passed
                        entry into the */
    mtc0 a1, c0_entrylo /* tlb entry registers */
    ssnop /* wait for pipeline
          hazard */
    ssnop
    tlbwr /* do it */
    j ra
    nop
    .end tlb_random

```



THE UNIVERSITY OF  
NEW SOUTH WALES

35

35